


Aluminium In-line Sliding and Lift & Slide Doors




In-line Sliding Doors




2 Pane

Minimum width 1400mm (at 2100mm high) Maximum width 4500mm Maximum Height 2300mm



3 Pane (Triple Track)


Minimum width 2700mm Maximum width 6000mm Maximum Height 2300mm




4 Pane

Minimum width 3600mm Maximum width 6000mm Maximum Height 2300mm


Lift and Slide Doors (Duo Rail)






2 Pane

Minimum width 1400mm (at 2100mm high) Maximum width 4500mm Maximum Height 2400mm



3 pane

Minimum width 2700mm Maximum width 6000mm Maximum Height 2400mm



4 pane

Minimum width 3600mm Maximum width 6000mm Maximum Height 2400mm

Colour Range

for fast delivery







Charge as standard RAL dual colour

Aluminium In-line Sliding and Lift & Slide Doors

Combining high performance with stunning design, our 'In-line Sliding' and 'Lift & Slide' doors provide a versatile solution for any architectural project.

'Choices' Optio BSC94 In-line Sliding and


Lift and Slide options






Optional 45mm Slim Interlock - Sliding and Lift and Slide

Standard Interlock



As overall sizes increase, additional external reinforcing will be required



Threshold and Sash

Upgrades/Options

- ✓ A range of RAL single or dual colour
- ✓ Security upgrade (2 pane In-line slider only)
- ✓ Brushed chrome handles
- ✓ Triple track slider no cill available 155mm frame
- ✓ 45mm slim interlock



Why not consider the other collections available from Time (